

**CORRECTION**

**Open Access**

# Correction: reproducibility of in-vivo diffusion tensor cardiovascular magnetic resonance in hypertrophic cardiomyopathy

Laura-Ann McGill<sup>1,2†</sup>, Tevfik Ismail<sup>1†</sup>, Sonia NIELLES-Vallespin<sup>1,2,3†</sup>, Pedro Ferreira<sup>1,2†</sup>, Andrew D Scott<sup>1,2</sup>, Michael Roughton<sup>1</sup>, Philip J Kilner<sup>1,2</sup>, S Yen Ho<sup>1,2</sup>, Karen P McCarthy<sup>1,2</sup>, Peter D Gatehouse<sup>1</sup>, Ranil de Silva<sup>1,2</sup>, Peter Speier<sup>4</sup>, Thorsten Feiweier<sup>4</sup>, Choukri Mekkaoui<sup>5</sup>, David E Sosnovik<sup>5</sup>, Sanjay K Prasad<sup>1,2</sup>, David N Firmin<sup>1,2\*</sup> and Dudley J Pennell<sup>1,2</sup>

Following publication of article [1] we noted an error in the methods section of our abstract in which we state: "Global MD was significantly higher in the septum than the reference lateral wall ( $0.784 \pm 0.188$  vs  $0.750 \pm 0.154 \times 10^{-3}$  mm<sup>2</sup>/s,  $p < 0.001$ )." The word "Global" was not correct, and the reference value was incorrect, this should state: "MD was significantly higher in the septum than the reference lateral wall ( $0.784 \pm 0.188$  vs  $0.714 \pm 0.155 \times 10^{-3}$  mm<sup>2</sup>/s,  $p < 0.001$ )." All other information is correct, we apologize for any inconvenience caused by this error.

#### Author details

<sup>1</sup>Cardiovascular Magnetic Resonance Unit, Royal Brompton Hospital, London, UK. <sup>2</sup>National Heart and Lung Institute, Imperial College, London, UK. <sup>3</sup>National Heart Lung and Blood Institute (NHLBI), National Institutes of Health (NIH), DHHS, Bethesda, MD, USA. <sup>4</sup>MR R&D, Siemens AG Medical Solutions, Erlangen, Germany. <sup>5</sup>Martinos Center for Biomedical Imaging, Massachusetts General Hospital, Harvard Medical School, Boston, MA, USA.

#### Reference

1. McGill LA, Ismail T, NIELLES-Vallespin S, Ferreira P, Scott AD, Roughton M, et al. Reproducibility of in-vivo diffusion tensor cardiovascular magnetic resonance in hypertrophic cardiomyopathy. *J Cardiovasc Magn Reson*. 2012;14:86.

doi:10.1186/1532-429X-15-22

**Cite this article as:** McGill et al.: Correction: reproducibility of in-vivo diffusion tensor cardiovascular magnetic resonance in hypertrophic cardiomyopathy. *Journal of Cardiovascular Magnetic Resonance* 2013 15:22.

**Submit your next manuscript to BioMed Central  
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



\* Correspondence: [d.firmin@imperial.ac.uk](mailto:d.firmin@imperial.ac.uk)

†Equal contributors

<sup>1</sup>Cardiovascular Magnetic Resonance Unit, Royal Brompton Hospital, London, UK

<sup>2</sup>National Heart and Lung Institute, Imperial College, London, UK