

POSTER PRESENTATION



Correlation of simultaneous measurements of coronary, carotid and aortic distensibility and vessel wall ratio as evaluated by cardiovascular magnetic resonance in patients with type 2 diabetes mellitus

David Jean Winkel¹, Tingting Xiong¹, Nikolaus Tiling², Rolf Gebker¹, Eckart Fleck¹, Ursula Plöckinger², Sebastian Kelle^{1*}

From 16th Annual SCMR Scientific Sessions San Francisco, CA, USA. 31 January - 3 February 2013

Background

Arterial distensibility can be measured non-invasively by cardiovascular magnetic resonance (CMR) in various arterial territories. However, no information is available comparing distensibility in different anatomical territories in individual patients. Therefore, we sought to compare CMR measurements of the distensibility of the coronary and carotid artery, and ascending aorta (AA) in patients with type 2 diabetes mellitus (DM).

Methods

A total of 31 patients (20 men, mean age 62 ± 10 years) with DM were studied using a commercial whole body MRI system at 3.0 Tesla (Philips, The Netherlands). In each patient, the proximal segment of a coronary artery, both common carotid arteries and a transversal scan at the level of the ascending aorta were imaged for cross-sectional area measurements using CMR. Distensibility (mmHg-1*103) was determined as (lumen max - lumen min)/(pulse pressure x lumen min) x 1000. For all vascular territories lumen area and total vessel area were assessed and vessel wall ratio (VWR) (vessel wall area/body surface area) was calculated. All continuous parameters are given as mean + one standard deviation (SD). For all tests, p<0.05 was considered statistically significant. All tests were two-sided.

Results

Thirty patients had adequate image quality for common carotid artery, 29 patients for ascending aorta and 23 patients for coronary artery measurements. Distensibility of the common carotid artery, ascending aorta and coronary arteries was measured in patients with DM ($3.0 \pm 1.3 \text{ mmHg-1*103}$ vs. $3.6 \pm 2.4 \text{ mmHg-1*103}$ and $2.4 \pm 1.7 \text{ mmHg-1*103}$ respectively). We found no significant correlation of carotid vs. aortic distensibility (R=0.122; p=0.528), carotid vs. coronary distensibility (R=0.112; p=0.627). In addition, we found no significant correlation of distensibility vs. VWR in the common carotid artery (R=-0.072; p=0.720), ascending aorta (R=-0.027; p=0.902) or coronary artery (R=-419; p=0.228).

Conclusions

In patients with type 2 diabetes we found no significant correlation between distensibility of different vascular territories or when comparing distensibility and VWR in each single vessel territory. These findings suggest that the assessment of early atherosclerotic vascular changes in peripheral vessels is limited for individual cardiovascular risk stratification in patients with type 2 diabetes.

Funding

none.

¹Internal Medicine/Cardiology, German Heart Institute Berlin, Berlin, Germany Full list of author information is available at the end of the article



© 2013 Winkel et al; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Author details

¹Internal Medicine/Cardiology, German Heart Institute Berlin, Berlin, Germany. ²Interdisziplinäres Stoffwechsel-Centrum, Charité-Universitätsmedizin Berlin, Campus Virchow-Klinikum, Berlin, Germany.

Published: 30 January 2013

doi:10.1186/1532-429X-15-S1-P225

Cite this article as: Winkel *et al.*: Correlation of simultaneous measurements of coronary, carotid and aortic distensibility and vessel wall ratio as evaluated by cardiovascular magnetic resonance in patients with type 2 diabetes mellitus. *Journal of Cardiovascular Magnetic Resonance* 2013 **15**(Suppl 1):P225.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

BioMed Central

Submit your manuscript at www.biomedcentral.com/submit